

SAFETY DATA SHEET Revision date: 14-June-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Issue date:

14-June-2022

30		or the substance/mixture and or the company/undertaking
1.1.	Product identifier	
	de name or designation he mixture	MACHINE OIL FG
Reg	gistration number	
Syr	ionyms	None.
Pro	duct code	BDS000677AE
1.2.	Relevant identified uses of the	he substance or mixture and uses advised against
	Identified uses	Lubricants
	Uses advised against	None known.
1.3.	Details of the supplier of the	safety data sheet
	Company name	CRC Industries UK Ltd.
	Address	Wylds Road
		Castlefield Industrial Estate
		TA6 4DD Bridgwater Somerset
		United Kingdom
	Telephone	+44 1278 727200
	Fax	+44 1278 425644
	E-mail	hse.uk@crcind.com
	Website	www.crcind.com
	Company name	CRC Industries Europe bv
	Address	Touwslagerstraat 1
		9240 Zele
		Belgium
	Telephone	+32(0)52/45.60.11
	Fax	+32(0)52/45.00.34
	E-mail	hse@crcind.com
	Website	www.crcind.com
	Emergency telephone nber	Tel.:(+44)(0)1278 72 7200 (office hours: 9-17h GMT)
	General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
	Austria National Poisons Information Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
	Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
	Bulgaria National Toxicological Information Centre	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
	Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
	Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
	Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
	Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Număr de telefon care poate fi apelat în caz de urgență:	021 5992300, int. 291 Spitalul Clinic de Urgență București: spital@urgentafloreasca.ro
Romania	0265 212111, 0265 211292, 0265 217235 Spitalul Clinic Județean de Urgență Târgu Mureș: secretariat@spitjudms.ro
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards
Aerosols

Category 1

H222 - Extremely flammable aerosol. H229 - Pressurized container: May burst if heated.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms

Signal word	Danger
Hazard statements	
H222 H229	Extremely flammable aerosol. Pressurized container: May burst if heated.
Precautionary statements	
Prevention	
P102 P210 P211 P251	Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Response	Not assigned.
Storage P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal	Not assigned.
Supplemental label information	EUH066 - Repeated exposure may cause skin dryness or cracking.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	50 - 75	- 926-141-6	01-2119456620-43	-	
Classification:	Asp. Tox.	1;H304			
Carbon dioxide	1 - 5	124-38-9 204-696-9	-	-	#
Classification:	Press. Ga	s;H280			

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation	If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	In the unlikely event of swallowing contact a physician or poison control centre. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
4.2. Most important symptoms and effects, both acute and delayed	Exposure may cause temporary irritation, redness, or discomfort.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards	Extremely flammable aerosol. Will burn if involved in a fire.
5.1. Extinguishing media Suitable extinguishing media	Foam. Dry chemicals. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Special fire fighting procedures	Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1	1. Personal precautions, protective equipment and emergency procedures				
	For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.			
	For emergency responders	Keep unnecessary personnel away. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.			
6.2	Environmental precautions	Avoid discharge into drains, water courses or onto the ground.			
	Methods and material for tainment and cleaning up	Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. The product is immiscible with water and will spread on the water surface. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.			
	Reference to other tions	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.			
SE	CTION 7: Handling and	storage			
	Precautions for safe dling	Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when			

handling the product must be grounded. Do not re-use empty containers. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
 7.2. Conditions for safe storage, including any incompatibilities
 Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Austria

Occupational exposure limits

Туре	Value		
TWA (MAK)	200 ppm		
GwV), BGBI. II, no. 184/2001			
Туре	Value		
Ceiling	18000 mg/m3		
	10000 ppm		
МАК	9000 mg/m3		
	5000 ppm		
Туре	Value	Form	
STEL	54784 mg/m3		
	30000 ppm		
TWA	9131 mg/m3		
	5000 ppm		
STEL	10 mg/m3	Mist.	
	5 mg/m3	• • •	
	TWA (MAK) GwV), BGBI. II, no. 184/2001 Type Ceiling MAK Type STEL TWA	TWA (MAK) 200 ppm GwV), BGBI. II, no. 184/2001 Type Value Ceiling 18000 mg/m3 MAK 9000 mg/m3 5000 ppm Type Value STEL 54784 mg/m3 30000 ppm TWA 9131 mg/m3 5000 ppm 5000 ppm STEL 10 mg/m3	TWA (MAK) 200 ppm GwV), BGBI. II, no. 184/2001 Value Ceiling 18000 mg/m3 MAK 9000 mg/m3 5000 ppm 5000 ppm Type Value Form Type Value 10000 ppm MAK 9000 mg/m3 5000 ppm Type Value Form STEL 54784 mg/m3 30000 ppm TWA 9131 mg/m3 5000 ppm STEL 10 mg/m3 Mist.

Components	tion No 13 on protection of workers again Type	Value	icul ugents ut work
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS 3042-47-5)	TWA	5 mg/m3	
Croatia. Dangerous Sub Components	estance Exposure Limit Values in the Wor Type	kplace (ELVs), Annexes 1 an Value	d 2, Narodne Novine, 13/09
Carbon dioxide (CAS	MAC	9000 mg/m3	
124-38-9)		5000 ppm	
Czech Republic. OELs. (Components	Government Decree 361 Type	Value	Form
Carbon dioxide (CAS	Ceiling	45000 mg/m3	
124-38-9)	TWA	9000 mg/m3	
White mineral oil (CAS	Ceiling	10 mg/m3	Aerosol
3042-47-5)	-	-	
	TWA	5 mg/m3	Aerosol
Denmark. Exposure Lim Components	nit Values Type	Value	Form
Carbon dioxide (CAS	TLV	9000 mg/m3	
124-38-9)		5000 ppm	
		0000 ppin	
White mineral oil (CAS	TLV	1 mg/m3	Mist
White mineral oil (CAS 8042-47-5)	TLV	1 mg/m3	Mist.
3042-47-5) Estonia. OELs. Occupati	TLV tional Exposure Limits of Hazardous Sub Type	-	
3042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS	ional Exposure Limits of Hazardous Sub	stances (Regulation No. 105/	
B042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS	ional Exposure Limits of Hazardous Sub Type	stances (Regulation No. 105/ Value	
3042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9)	tional Exposure Limits of Hazardous Subs Type TWA	stances (Regulation No. 105/ Value 9000 mg/m3	
3042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expo	tional Exposure Limits of Hazardous Subs Type TWA	stances (Regulation No. 105/ Value 9000 mg/m3	
3042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expe Components Carbon dioxide (CAS	tional Exposure Limits of Hazardous Subs Type TWA osure Limits	stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm	2001, Annex), as amended
3042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expe Components Carbon dioxide (CAS	tional Exposure Limits of Hazardous Subs Type TWA osure Limits Type	stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value	2001, Annex), as amended
8042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expe Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS	tional Exposure Limits of Hazardous Subs Type TWA osure Limits Type	stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3	2001, Annex), as amended
8042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expo Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 8042-47-5)	tional Exposure Limits of Hazardous Subs Type TWA osure Limits Type TWA TWA	Stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm 5000 ppm 5000 ppm 5000 ppm	2001, Annex), as amended Form Mist.
3042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expo Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 3042-47-5) France. OELs. Indicative	tional Exposure Limits of Hazardous Subs Type TWA osure Limits Type TWA	Stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm 5000 ppm 5000 ppm 5000 ppm	2001, Annex), as amended Form Mist.
8042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expo Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 8042-47-5) France. OELs. Indicative Components Carbon dioxide (CAS	tional Exposure Limits of Hazardous Subs Type TWA osure Limits Type TWA TWA TWA e Occupational Exposure Limits as Presc	stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm 5 mg/m3 ribed by Order of 30 June 20	2001, Annex), as amended Form Mist.
3042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expo Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 3042-47-5) France. OELs. Indicative Components Carbon dioxide (CAS	tional Exposure Limits of Hazardous Sub- Type TWA osure Limits Type TWA TWA e Occupational Exposure Limits as Presc Type	stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm 5 mg/m3 ribed by Order of 30 June 20 Value	2001, Annex), as amended Form Mist.
8042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expo Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 8042-47-5) France. OELs. Indicative Components Carbon dioxide (CAS	tional Exposure Limits of Hazardous Sub- Type TWA osure Limits Type TWA TWA e Occupational Exposure Limits as Presc Type	Stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm 5 mg/m3 ribed by Order of 30 June 20 Value 9000 mg/m3	2001, Annex), as amended Form Mist.
8042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expo Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 8042-47-5) France. OELs. Indicative Components Carbon dioxide (CAS	tional Exposure Limits of Hazardous Sub- Type TWA osure Limits Type TWA TWA e Occupational Exposure Limits as Presc Type	Stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm 9000 ppm 9000 mg/m3 9000 mg/m3	2001, Annex), as amended Form Mist.
8042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expe Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 8042-47-5) France. OELs. Indicative Components Carbon dioxide (CAS 124-38-9)	tional Exposure Limits of Hazardous Sub- Type TWA osure Limits Type TWA TWA e Occupational Exposure Limits as Presc Type	Stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm 5000 mg/m3 90000 mg/m3 5000 ppm 5000 ppm	2001, Annex), as amended Form Mist. 04, as amended
8042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expe Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 8042-47-5) France. OELs. Indicative Components Carbon dioxide (CAS 124-38-9) France. Threshold Limit Components Carbon dioxide (CAS	tional Exposure Limits of Hazardous Sub- Type TWA osure Limits Type TWA TWA e Occupational Exposure Limits as Presc Type VME	Stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm 5000 mg/m3 90000 mg/m3 5000 ppm	2001, Annex), as amended Form Mist. 04, as amended
8042-47-5) Estonia. OELs. Occupati Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Expe Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 8042-47-5) France. OELs. Indicative Components Carbon dioxide (CAS 124-38-9) France. Threshold Limit	tional Exposure Limits of Hazardous Sub- Type TWA osure Limits Type TWA TWA e Occupational Exposure Limits as Presc Type VME	Stances (Regulation No. 105/ Value 9000 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm Value 9100 mg/m3 5000 ppm 9000 mg/m3 9000 mg/m3 5000 ppm 5000 ppm 5000 ppm 5000 ppm 5000 ppm 9000 mg/m3 5000 ppm 5000 ppm 5000 ppm 5000 ppm 5000 ppm	2001, Annex), as amended Form Mist. 04, as amended

Germany Components	Туре	Value	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	TWA	300 mg/m3	
Germany. DFG MAK List (adviso in the Work Area (DFG)	ry OELs). Commission for the	Investigation of Health Hazard	s of Chemical Compounds
Components	Туре	Value	Form
Carbon dioxide (CAS	TWA	9100 mg/m3	
124-38-9)		5000 ppm	
White mineral oil (CAS	TWA	5 mg/m3	Respirable fraction.
8042-47-5)		o nig/nio	
Germany. TRGS 900, Limit Value			_
Components	Туре	Value	Form
Carbon dioxide (CAS 124-38-9)	AGW	9100 mg/m3	
124-50-5)		5000 ppm	
White mineral oil (CAS	AGW	5 mg/m3	Respirable fraction.
8042-47-5)		U	
Greece. OELs (Decree No. 90/19	-	., .	F ourse
Components	Туре	Value	Form
Carbon dioxide (CAS 124-38-9)	STEL	54000 mg/m3	
121000)		5000 ppm	
	TWA	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS	TWA	5 mg/m3	Mist.
8042-47-5)			
Hungary. OELs. Joint Decree on Components		s Value	
-	Туре		
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
White mineral oil (CAS	TWA	5 mg/m3	
8042-47-5)			
Iceland. OELs. Regulation 154/19	· · · · · ·		Form
Components	Туре	Value	FUIII
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS	TWA	1 mg/m3	Mist.
8042-47-5)			
Ireland. Occupational Exposure		Value	Form
Components	Туре	Value	FOIII
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS	TWA	5 mg/m3	Inhalable fraction.
8042-47-5)		-	
Italy. Occupational Exposure Lir		\/_l.	Form
Components	Туре	Value	Form
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS	TWA	5 mg/m3	Inhalable fraction.
8042-47-5)		5	

Components	Туре	Value	
Carbon dioxide (CAS 24-38-9)	TWA	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS 3042-47-5)	TWA	5 mg/m3	
ithuania. OELs. Limit Values fo	r Chemical Substances, General Type	Requirements Value	Form
Carbon dioxide (CAS	TWA	9000 mg/m3	
24-38-9)		5000 ppm	
Vhite mineral oil (CAS	STEL	3 mg/m3	Fume and mist.
042-47-5)		-	
	TWA	1 mg/m3	Fume and mist.
uxembourg. Binding Occupatio	nal exposure limit values (Annex Type	I), Memorial A Value	
Carbon dioxide (CAS	TWA	9000 mg/m3	
24-38-9)		5000 ppm	
Malta. OELs. Occupational Expos Schedules I and V)	sure Limit Values (L.N. 227. of Oc		ty Authority Act (CAP. 42
Components	Туре	Value	
Carbon dioxide (CAS 24-38-9)	TWA	9000 mg/m3	
.2.1.00.07		5000 ppm	
Netherlands Components	Туре	Value	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	TWA (MAC)	1200 mg/m3	
Netherlands. OELs (binding)			
Components	Туре	Value	Form
Carbon dioxide (CAS 24-38-9)	TWA	9000 mg/m3	
White mineral oil (CAS 3042-47-5)	TWA	5 mg/m3	Mist.
	or Contaminants in the Workplace)	
Components	Туре	Value	Form
Carbon dioxide (CAS I24-38-9)	TLV	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS 8042-47-5)	TLV	1 mg/m3	Mist.
	r of Labour and Social Policy on (
concentrations and intensities of Components	harmful health factors in the wor Type	rk environment, Journal of Value	Laws 2014, item 817 Form
Carbon dioxide (CAS	STEL	27000 mg/m3	
	TWA	9000 mg/m3	
	1 007 (
124-38-9) White mineral oil (CAS	TWA	5 mg/m3	Inhalable fraction.
124-38-9) White mineral oil (CAS 8042-47-5)		-	Inhalable fraction.
124-38-9) White mineral oil (CAS 3042-47-5) Portugal. OELs. Decree-Law n. 29 Components Carbon dioxide (CAS	TWA 90/2001 (Journal of the Republic -	1 Series A, n.266)	Inhalable fraction.
124-38-9) White mineral oil (CAS 8042-47-5) Portugal. OELs. Decree-Law n. 2 9	TWA 90/2001 (Journal of the Republic - Type	1 Series A, n.266) Value	Inhalable fraction.

Components	Туре	Value	Form
Carbon dioxide (CAS 124-38-9)	STEL	30000 ppm	
	TWA	5000 ppm	
White mineral oil (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Protection of w	orkers from exposure to chemi	cal agents at the workplace	
Components	Туре	Value	
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS 8042-47-5)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Slovakia. OELs. Regulation No.	300/2007 concerning protection	n of health in work with chem	ical agents
Components	Туре	Value	Form
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS 8042-47-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Slovenia. OELs. Regulations co		against risks due to exposu	re to chemicals while workir
(Official Gazette of the Republic	of Slovenia)	Value	Form

Components	Туре	Value	Form
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
		5000 ppm	
White mineral oil (CAS 8042-47-5)	TWA	5 mg/m3	Respirable fraction.
Spain. Occupational Exposure L	₋imits		
Components	Туре	Value	Form
Carbon dioxide (CAS 124-38-9)	TWA	9150 mg/m3	
		5000 ppm	
White mineral oil (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Environme			
Sweden. OELs. Work Environm Components	ent Authority (AV), Occupationa Type	I Exposure Limit Values (AFS Value	S 2015:7) Form
Components Carbon dioxide (CAS	Туре	Value	
Components Carbon dioxide (CAS	Туре	Value 18000 mg/m3	
Components Carbon dioxide (CAS	Type STEL	Value 18000 mg/m3 10000 ppm	
Components Carbon dioxide (CAS	Type STEL	Value 18000 mg/m3 10000 ppm 9000 mg/m3	
Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS	Type STEL TWA	Value 18000 mg/m3 10000 ppm 9000 mg/m3 5000 ppm	Form
Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 8042-47-5)	Type STEL TWA STEL TWA	Value 18000 mg/m3 10000 ppm 9000 mg/m3 5000 ppm 3 mg/m3	Form Mist.
Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS	Type STEL TWA STEL TWA	Value 18000 mg/m3 10000 ppm 9000 mg/m3 5000 ppm 3 mg/m3	Form Mist.
Components Carbon dioxide (CAS 124-38-9) White mineral oil (CAS 8042-47-5) Switzerland. SUVA Grenzwerte a	Type STEL TWA STEL TWA am Arbeitsplatz	Value 18000 mg/m3 10000 ppm 9000 mg/m3 5000 ppm 3 mg/m3 1 mg/m3	Form Mist. Mist.

5000 ppm

Components	erte am Arbeitsplatz Type	•	Value	Form
White mineral oil (CAS 8042-47-5)	TWA		5 mg/m3	Inhalable fraction.
UK. EH40 Workplace Expos Components	sure Limits (WELs) Type	,	Value	
Carbon dioxide (CAS	STEL	-	27400 mg/m3	
124-38-9)			15000 ppm	
	T) A / A		15000 ppm	
	TWA		9150 mg/m3	
			5000 ppm	
EU. Indicative Exposure Lin Components	nit Values in Directiv Type		2000/39/EC, 2006/15/EC, 200 Value	9/161/EU, 2017/164/EU
Carbon dioxide (CAS 124-38-9)	TWA		9000 mg/m3	
124-36-9)			5000 ppm	
Biological limit values	No biological expos	ure limits noted fo		
Recommended monitoring procedures	Follow standard mo		e ()	
Derived no effect levels (DNELs)			
General Population				
Components	Val	ue	Assessment factor	Notes
White mineral oil (CAS 8042-	,			
Long-term, Systemic, De Long-term, Systemic, Inh		mg/kg bw/day mg/m3		
<u>Workers</u>				
Components	Val	ue	Assessment factor	Notes
White mineral oil (CAS 8042- Long-term, Systemic, De Long-term, Systemic, Inh	rmal 220	mg/kg bw/day mg/m3		
Predicted no effect concentration	ons (PNECs)			
Components	Val	ue	Assessment factor	Notes
White mineral oil (CAS 8042-	47-5)			
Secondary poisoning	17 <u>(</u>	J/kg	300	Oral
8.2. Exposure controls				
Appropriate engineering controls	applicable, use proc maintain airborne le	cess enclosures, levels below recom	sed. Ventilation rates should to ocal exhaust ventilation, or ot mended exposure limits. If ex to an acceptable level.	ner engineering controls to
ndividual protection measures,	such as personal p	otective equipm	ent	
General information			s required. Personal protectio in discussion with the supplie	n equipment should be chosen ⁻ of the personal protective
Eye/face protection		s with side shields	s (or goggles). Use eye protec	tion conforming to EN 166.
Skin protection				
- Hand protection	immediately after a should be used with	splash or spill ma a breakthrough t	oosable gloves should be suffi y occur. If intentional contact ime greater than the total dura d by the glove supplier. Nitrile	ation of the product use.
- Other	Not available.		, <u> </u>	J
Respiratory protection	In case of insufficien organic vapour cart		r suitable respiratory equipme A)	ent. Chemical respirator with
Thermal hazards			clothing, when necessary.	

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physic	ai and chemical properties		
Physical state	Liquid.		
Form	Aerosol.		
Colour	Colourless.		
Odour	Solvent.		
Melting point/freezing point	-56,6 °C (-69,9 °F) estimated		
Boiling point or initial boiling point and boiling range	Not available.		
Flammability (solid, gas)	Not available.		
Flash point	74,0 °C (165,2 °F) Closed cup		
Auto-ignition temperature	> 200 °C (> 392 °F)		
Decomposition temperature	Not available.		
рН	Not applicable.		
Solubility(ies)			
Solubility (water)	Insoluble in water		
Vapour pressure	Not available.		
Vapour density	Not available.		
Relative density	0,82 g/cm3 at 20°C		
Particle characteristics	Not available.		
9.2. Other information			
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.		
9.2.2. Other safety characteristics			
Aerosol spray ignition distance	> 75 cm		
Explosive properties	Not explosive.		
Heat of combustion (NFPA 30B)	10,74 kJ/g estimated		
Oxidising properties	Not oxidising.		
Viscosity	2,91 mPa∙s at 40°C		

3,91 mPa·s at 20°C

515 g/l

SECTION 10: Stability and reactivity

voc

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid high temperatures.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Carbon oxides.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.	
Information on likely routes of e	exposure	
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.	
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.	

11.1. Information on toxicological effects

Acute toxicity	Based on available data the	classification criteria are n	ot met
Components	Species Test Results es, isoalkanes, cyclics, < 2% aromatics		
Acute		omatics	
Dermal			
LD50	Rabbit	>	> 5000 mg/kg
Inhalation			
LC50	Rat	>	> 5000 mg/m3, 8 h
Oral			
LD50	Rat	>	> 5000 mg/kg
Skin corrosion/irritation	Based on available data, the	classification criteria are n	ot met.
Serious eye damage/eye rritation	Based on available data, the	classification criteria are n	ot met.
Respiratory sensitisation	Based on available data, the	classification criteria are n	ot met.
Skin sensitisation	Based on available data, the	classification criteria are n	ot met.
Germ cell mutagenicity	Based on available data, the	classification criteria are n	ot met.
Carcinogenicity	Based on available data, the	classification criteria are n	ot met.
Hungary. 26/2000 EüM Ordii (as amended) Not listed.	nance on protection against	and preventing risk relati	ing to exposure to carcinogens at work
Reproductive toxicity	Based on available data the	classification criteria are n	ot met
Specific target organ toxicity -	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.		
single exposure			
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Not likely, due to the form of the product.		
Mixture versus substance nformation	Not available.		
11.2. Information on other hazar	ds		
Endocrine disrupting properties		57(f) or regulation (EU) 20	to have endocrine disrupting properties 17/2100 or Commission Regulation (EU)
Other information	Not available.		
SECTION 12: Ecological ir	nformation		
12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment		
Components	Species		Test Results
Hydrocarbons, C11-C14, n-alkane	s, isoalkanes, cyclics, < 2% ar	omatics	
Aquatic			
<i>Acute</i> Crustacea	EC50 Daphnia		1000 mg/l, 48 h
	LC50 Daphina LC50 Oncorhynchi	ie mykies	1000 mg/l, 96 h
12.2. Persistence and	No data is available on the o	-	
degradability			
12.3. Bioaccumulative potential	No data available.		
Partition coefficient n-octanol/water (log Kow)	Not available.		

12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. assessment

The product does not contain components considered to have endocrine disrupting properties 12.6. Endocrine disrupting according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Not available.

Bioconcentration factor (BCF)

properties

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

ADI	ĸ	
	14.1. UN number	UN1950
	14.2. UN proper shipping	AEROSOLS
	name	
	14.3. Transport hazard class	es)
	Class	2.1
	Subsidiary risk	-
	Label(s)	2.1
	Hazard No. (ADR)	Not available.
	Tunnel restriction code	D
	14.4. Packing group	Not available.
	14.3. Transport hazard class	les)
	ADR/RID - Classification	5F
	code:	
	14.5. Environmental hazards	No
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	
IAT	Α	
	14.1. UN number	UN1950
	14.2. UN proper shipping	AEROSOLS
	name	
	14.3. Transport hazard class	es)
	Class	2.1
	Subsidiary risk	-
	14.4. Packing group	Not available.
	14.5. Environmental hazards	No.
	ERG Code	10L
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	
	Other information	
	Passenger and cargo	Allowed with restrictions.
	aircraft	
	Cargo aircraft only	Allowed with restrictions.
IMD)G	
	14.1. UN number	UN1950
	14.2. UN proper shipping	AEROSOLS
	name	
	14.3. Transport hazard class	es)
	Class	2.1
	Subsidiary risk	-
	14.4. Packing group	Not available.
	14.5. Environmental hazards	
	Marine pollutant	No
	EmS	F-D, S-U

Read safety instructions, SDS and emergency procedures before handling.

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Not established.

ADR; IATA; IMDG



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

EU regulations	
Regulation (EC) No. 1009 Not listed.	5/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Regulation (EU) 2019/102	21 On persistent organic pollutants (recast), as amended
Not listed.	
Regulation (EU) No. 649/ Not listed.	2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Regulation (EU) No. 649/ Not listed.	2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
	2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
	2012 concerning the export and import of dangerous chemicals, Annex V as amended
Regulation (EC) No. 166/	2006 Annex II Pollutant Release and Transfer Registry, as amended
Carbon dioxide (CAS Regulation (EC) No. 1907 Not listed.	124-38-9) 7/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Authorisations	
• • •	7/2006, REACH Annex XIV Substances subject to authorization, as amended
Not listed.	
Restrictions on use	
Regulation (EC) No. 1907	7/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed. Directive 2004/37/EC: on work, as amended.	the protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed.	
Other EU regulations	
Directive 2012/18/EU on	major accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany). ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP). CAS: Chemical Abstract Service. Ceiling: Short Term Exposure Limit Ceiling value. CEN: European Committee for Standardization. CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures. GWP: Global Warming Potential. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG). MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer). RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. VOC: Volatile organic compounds. vPvB: Very persistent and very bioaccumulative. STEL: Short-term Exposure Limit. Not available. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

None.

Follow training instructions when handling this material.

CRC Industries Europe UK Limited cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

Revision information Training information Disclaimer